



Kvaser OBD II to Dsub9 Adapter Cable

EAN: 73-30130-00723-9

A Kvaser OBD II Adapter Cable connects any Kvaser CAN bus interface with a DSUB9 female connector to any vehicle with an OBD II (J1962) connector.

Major Features

- Molded OBD II (SAE J1962) male connector, for Type A (12 Volt) as well as Type B (24 Volt).
- Molded 9 pin DSUB female connector with thumbscrews.
- 2500 mm (approx. 8 ft) long cable made of durable thermoplastic rubber.
- Designed for Kvaser's High-Speed, Low-Speed and Single-Wire CAN interfaces.
- Perfect for Kvaser Memorator, Kvaser Leaf Professional, etc.

Warranty

- 2-Year Warranty. See our General Conditions and Policies for details.

TECHNICAL DATA - KVASER OBD II TO DSUB9 ADAPTER CABLE

WIDTH (MM)	N/A
EMBEDDED SCRIPT	No
# OF CAN CHANNELS	1
MSGRATE RX MAX	N/A
ON-BOARD TX BUFFER	N/A
STATUS	Active
ERROR FRAME GENERATION	N/A
CASING MATERIAL	Durable thermoplastic rubber
MAXIMUM BITRATE (KBPS)	N/A
GALVANIC ISOLATION	N/A
CONNECTOR	N/A
API, LICENCED	None
TIMESTAMP RESOLUTION (US)	N/A
MINIMUM BITRATE (KBPS)	N/A
ERROR COUNTERS READING	N/A
WEIGHT (G)	160.0
PRODUCT GROUPS	Cable
DATABASE DBC SUPPORT	No
API, FREE	N/A
PLAY BACK LOG FILE	No
OPERATING TEMPERATURE RANGE (C)	-30.00 to 85.00
CB BOARD	No
MSGRATE TX MAX	N/A
ERROR FRAME DETECTION	N/A
CAN FD	No
RUGGED	No
SILENT MODE	N/A



Kvaser OBD II to Dsub9 Adapter Cable

IP CLASS	N/A
CURRENT CONSUMPTION	N/A
CLOCK SYNC	N/A
PC INTERFACE	Cable
OPERATING SYSTEM	Linux,Win Vista,Win 10,Win 8,Win 7,Win XP
ON-BOARD BUFFER	N/A
CERTIFICATIONS	CE,RoHS
LENGTH (MM)	2500
NETWORK CHANNEL(S)	
ON-BOARD RX BUFFER	N/A
SOUND	N/A
HEIGHT (MM)	N/A

The information herein is subject to change without notice